<u> </u>	選擇題(28%)	)
----------	----------	---

- 1. Which of the following components is usually not found on a motherboard?(A) System Clock (B) RAM (C) CPU (D)Power Supply (E) Extension Slots
- 2. Which of the following is not hardware facility?(A) Virtual Memory (B) Cache Memory (C) Read Only Memory (D) Random Access Memory (E) Hard Disk
- 3. Bits are configured according to an encoding system, such as(A) FORTRAN (B) COBOL (C) BASIC (D) ASCII (E) C
- 4. Which of the following is the time it takes the read/write head to position itself over the proper track?(A) Rotational Delay(B) Data Transfer Time (C) Seek Time (D) Latency Time
- 5. Which of the following is wrong?(A) A mouse usually connects to a serial port (B)A PC usually provides three serial ports (C) A modem usually connects to a serial port (D) A printer usually connects to a parallel port (E) A PS2 mouse does not need serial port
- 6. A Collection of related fields of a data item is called(A) Field Group (B) Structure (C) Database (D) File (E) Record
- 7. Which of the following is not the database type of DBMS?(A) Hierarchical (B) Network (C) Relational (D) Tree
- 8. The execution of two or more programs by one user concurrently on the same computer with one central processor is called:(A) Multiprogramming (B) Multithread (C) Time-Sharing (D) Multitasking (E) Multiprocessing
- 9. Which type of LAN topology is adopted for Ethernet protocol.(A) Route (B) Ring (C) Bus (D) Repeater (E) Star
- 10. Which of the following coverts name address to IP address?(A) Proxy (B) DNS (C) Mail Server (d) Gateway
- 11. Which of the following is lossy compression?(A)ZIP/PKZIP (B)GIF (C) tar (D)MPEF (E)RAR
- 12. Which of the following languages is less used in commercial applications than the other?(A) Cobol (B) C (C) C++ (D) ADA (E) LISP
- 13. Which of the following variable scope is smallest in the programming languages than the other?(A) Local Variable (B)Nonlocal Variable (C) Global Variable (E)Common Variable
- 14. Which of the following languages uses interpreter?(A) C (B) COBOL (C) FORTRAN (D) JAVA 二、填空題(24%)
- 1. (3.75)10+(4.625)10 之 結果以二進制表示爲<u>(A)</u>
- 2. 假設使用一部 MIPS 的計算機來處理一件總共需要執行 120 億個指令的工作(job),則需要\_\_\_\_ (B)\_\_\_\_時間才能完成這一件工作
- 3. 在 multiprogramming 的作業系統中,考慮四個 jobs 抵達 ready queue 的時間與所需的 CPU 時間如下:
- 5. 產生 Deadlock 的可能條件有:\_\_\_\_(E)\_\_\_、\_\_\_(F)\_\_\_、\_\_\_(G)\_\_\_、\_\_\_(H)\_\_\_
- 三、問答題
- 1. 在分時作業系統下,一位資料庫應用系統發展人員使用 C 程式語言、SQL 語言及關聯式資料庫 管理系統來發展資料庫的應用軟體,試問:(A)SQL 功能與 DBMS 的關係爲何?(B)試繪一圖形

說明用戶端與實體儲存體間之 SQL, OS, DBMS, C, Database 所扮演的角色。(15%)

- 2. 試說明(1)process 的定義(2)在一個 programming 的作業機系統中,一個 process 可能處於的 state 有哪幾種,試繪其關係圖。(12%)
- 3. A 爲一個二維矩陣,A(3,2)的位址在 1110,A(2,3)的位址在 1115。假設每一個元素佔一個單位,矩陣 A 宣告爲 A(m,n),則 A(5,4)的位址爲何?n 值爲何?(6%)
- 4. 試比較循序串列(Sequential List)與鏈結串列(Linked List)的優點。(15%)